PTC/SB/08a/b (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

The state of th

Subst	itute for form 1449A	/B/PTO		Complete if Known		
3000		· 		Application Number	10/663,741	
IN	FORMATI	ON DISC	LOSURE	Filing Date	September 17, 2003	
S1	STATEMENT BY APPLICANT			First Named Inventor	Terry L. Gilton	
				Art Unit	2811	
	(Use as man	y sheets as nec	essary)	Examiner Name	Not Yet Assigned	
Sheet	1	of	3	Attorney Docket Number	M4065.0656/P656	

<u> </u>			U.S. PA	TENT DOCUMENTS	
Examiner Initials*	Cite No.1	Document Number Number-Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Unes, Where Relevant Passages or Relevant Figures Appear
	Α	US 2004/0035401	2/2004	Ramachandran et al.	
	В	US 2003/0212724	11/2003	Ovshinsky et al.	
	c	US 2003/0048744	3/2003	Ovshinsky et al.	
	Ď	US 2003/0212725	11/2003	Ovshinsky et al.	10.1.
	E	US RE 37,259E	7/2001	Ovshinsky	
	F	US 3,271,591	9/1966	Ovshinsky	
	G	US 3,961,314	6/1976	Klose et al.	
	H	US 3,966,317	6/1976	Wacks et al.	
	li .	US 3,983,542	11/1976	Ovshinsky	
	j.	US 3,988,720	10/1976	Ovshinsky	
	K	US 4,177,474	12/1979	Ovshinsky	
	L	US 4,267,261	5/1981	Hallman et al.	
	М	US 4,597,162	7/1986	Johnson et al.	
	N	US 4,608,296	8/1986	Keem et al.	
	Ö	US 4,637,895	1/1987	Ovshinsky et al.	
	P	US 4,646,266	2/1987	Ovshinsky et al.	
	Q	US 4,664,939	5/1987	Ovshinsky	
	R	US 4,668,968	5/1987	Ovshinsky et al.	
	s	US 4,670,763	6/1987	Ovshinsky et al.	
	Ť	US 4,673,957	6/1987	Ovshinsky et al.	
	ΰ	US 4,678,679	7/1987	Ovshinsky	
	\overline{v}	US 4,696,758	9/1987	Ovshinsky et al.	
 	w	US 4,698,234	10/1987	Ovshinsky et al.	
	X_	US 4,710,899	12/1987	Young et al.	
	Ŷ	US 4,728,406	3/1988	Banerjee et al.	
-	ż	US 4,737,379	4/1988	Hudgens et al.	
	A1	US 4,766,471	8/1988	Ovshinsky et al.	
	B1	US 4,769,338	9/1988	Ovshinsky et al.	
	C1	US 4,775,425	10/1988	Guha et al.	
	D1	US 4,788,594	11/1988	Ovshinsky et al.	
	E1	US 4,809,044	2/1989	Pryor et al.	
	F1	US 4,818,717	4/1989	Johnson et al.	
	G1	US 4,843,443	6/1989	Ovshinsky et al.	
1	H1	US 4,845,533	7/1989	Pryor et al.	
	111	US 4,853,785	8/1989	Ovshinsky et al.	
	J1	US 4,891,330	1/1990	Guha et al.	
	K1	US 5,128,099	7/1992	Strand et al.	
	L1	US 5,159,661	10/1992	Ovshinsky et al.	
,	M1	US 5,166,758	11/1992	Ovshinsky et al.	
	N1	US 5,177,567	1/1993	Klersy et al.	
	01	US 5,296,716	3/1994	Ovshinsky et al.	
	P1	US 5,335,219	8/1994	Ovshinsky et al.	
	Q1	US 5,359,205	10/1994	Ovshinsky	
	R1	US 5,341,328	8/1994	Ovshinsky et al.	
	S1	US 5,406,509	4/1995	Ovshinsky et al.	

Subst	itute for form 1449A/B	/PTO		Complete if Known		
00000	ILLIE TOT TOTAL			Application Number	10/663,741	
IN	FORMATIC	N DI	SCLOSURE	Filing Date	September 17, 2003	
ST	ATEMENT	BY	APPLICANT	First Named Inventor	Terry L. Gilton	
•				Art Unit	2811	
	(Use as many	sheets as	necessary)	Examiner Name	Not Yet Assigned	
Sheet	2	of	3	Attorney Docket Number	M4065.0656/P656	

T1	US 5,414,271	5/1995	Ovshinsky et al.	
U1	US 5,534,711	7/1996	Ovshinsky et al.	
V1	US 5,534,712	7/1996	Ovshinsky et al.	
W1_	US 5,536,947	7/1996	Klersy et al.	
X1	US 5,543,737	8/1996	Ovshinsky	
Y1	US 5,591,501	1/1997	Ovshinsky et al.	
Z1	US 5,596,522	1/1997	Ovshinsky et al.	
A2	US 5,687,112	11/1997	Ovshinsky	
B2	US 5,694,054	12/1997	Ovshinsky et al.	
C2	US 5,714,768	2/1998	Ovshinsky et al.	
D2	US 5,825,046	10/1998	Czubatyj et al.	
E2	US 5,912,839	6/1999	Ovshinsky et al.	
F2	US 5,933,365	8/1999	Klersy et al.	
G2	US 6,011,757	1/2000	Ovshinsky	
H2	US 6,087,674	7/2000	Ovshinsky et al.	
12	US 6,141,241	10/2000	Ovshinsky et al.	
J2	US 6,339,544	1/2002	Chiang et al.	
K2	US 6,404,665	6/2002	Lowery et al.	
L2	US 6,429,064	8/2002	Wicker	
M2	US 6,437,383	8/2002	Xu	
N2	US 6,462,984	10/2002	Xu et al.	
02	US 6,480,438	11/2002	Park	
P2	US 6,487,113	11/2002	Park et al.	
Q2	US 6,501,111	12/2002	Lowery	
R2	US 6,507,061	1/2003	Hudgens et al.	
S2	US 6,511,862	1/2003	Hudgens et al.	
T2	US 6,511,867	1/2003	Lowery et al.	
U2	US 6,512,241	1/2003	Lai	
V2	US 6,514,805	2/2003	Xu et al.	
W2	US 6,531,373	3/2003	Gill et al.	
X2	US 6,534,781	3/2003	Dennison	
Y2	US 6,545,287	4/2003	Chiang	<u> </u>
Z2	US 6,545,907	4/2003	Lowery et al.	
A3	US 6,555,860	4/2003	Lowery et al.	
B3	US 6,563,164	5/2003	Lowery et al.	· · · · · · · · · · · · · · · · · · ·
C3	US 6,566,700	5/2003	Xu	
D3	US 6,567,293	5/2003	Lowery et al.	
E3	US 6,569,705	5/2003	Chiang et al.	
F3	US 6,570,784	5/2003	Lowery	
G3	US 6,576,921	6/2003	Lowery	
H3_	US 6,586,761	7/2003	Lowery	
13	US 6,589,714	7/2003	Maimon et al.	
J3	US 6,590,807	7/2003	Lowery	
K3	US 6,593,176	7/2003	Dennison	ļ
L3	US 6,597,009	7/2003	Wicker	
M3_	US 6,605,527	8/2003	Dennison et al.	
N3	US 6,613,604	9/2003	Maimon et al.	
O3	US 6,621,095	9/2003	Chlang et al.	
P3	US 6,625,054	9/2003	Lowery et al.	
Q3	US 6,642,102	11/2003	Xu	

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid CMB control number.

Sub	stitute for form 1449A/E	MPTO		Complete if Known		
	Constitute for fair 1440/40/11			Application Number	10/663,741	
IN	IFORMATION	ON DI	SCLOSURE	Filing Date	September 17, 2003	
S	STATEMENT BY APPLICANT			First Named Inventor	Terry L. Gilton	
				Art Unit	2811	
	(Use as many sheets as necessary)			Examiner Name	Not Yet Assigned	
Sheet	3	of	3	Attorney Docket Number	M4065.0656/P656	

	R3	US 6,646,297	11/2003	Dennison	
	S3	US 6,649,928	11/2003	Dennison	
_	ТЗ	US 6,667,900	12/2003	Lowery et al.	
	U3	US 6,671,710	12/2003	Ovshinsky et al.	
	V3	US 6,673,700	1/2004	Dennison et al.	
	W3	US 6,674,115	1/2004	Hudgens et al.	
	X3	US 6,687,427	2/2004	Ramalingam et al.	
	Y3	US 6,690,026	2/2004	Peterson	
	Z3	US 6,696,355	2/2004	Dennison	
	A4	US 6,687,153	2/2004	Lowery	
	B4	US 6,707,712	3/2004	Lowery	
	C4	US 6,714,954	3/2004	Ovshinsky et al.	

		FOREI	GN PATENT	DOCUMENTS		
Examiner Initials*	Cite No.1	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁴ (If known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	70

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 'Applicant's unique citation designation number (optional). 'See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 'Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 'For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 'Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.18 If possible. 'Applicant is to place a check mark here if English language Translation is attached.

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
			<u> </u>

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

^{&#}x27;Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.



Complete If Known Substitute for form 1449A/B/PTO 10/663,741-Conf. #2658 **Application Number** INFORMATION DISCLOSURE Filing Date September 17, 2003 STATEMENT BY APPLICANT First Named Inventor Terry L. Gilton Art Unit 2811 (Use as many sheets as necessary) Not Yet Assigned **Examiner Name** M4065.0656/P656 1 Attorney Docket Number Sheet 1

			U.S. PA	TENT DOCUMENTS	
Examiner Initials*	Cite No.1	Document Number Number-Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
					1

		FOREI	GN PATENT	DOCUMENTS		
Examiner Initials*	Cite No.1	Foreign Patent Document Country Code ³ -Number Hind Code ⁶ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	ಗ್
						L

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the Indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
	CA	YOJI KAWAMOTO et al., "Ionic Conduction in As ₂ S ₃ -Ag ₂ S, GeS ₂ -GeS ₂ -GeS-Ag ₂ S and P ₂ S ₅ -Ag ₂ S Glasses," Journal of Non-Crystalline Solids 20 (1976) 393-404.	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

^{&#}x27;Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.

Complete If Known Substitute for form 1449A/PTO 10/663,741 **Application Number** INFORMATION DISCLOSURE STATEMENT BY APPLICANT September 17, 2003 Filing Date First Named Inventor Terry L. Gilton Art Unit N/A (use as many sheets as necessary) Examiner Name Not Yet Assigned 11 M4065.0656/P656 1 of Attorney Docket Number Sheet

	Pages, Columns, Line:							
Examiner Initials*	Cite No.	Document Number Number-Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Where Relevant Passages or Relevant Figures Appear			
	AA	2002/0000666	1/3/2002	Kozicki et al.				
	AB	2002/0072188	6/13/2002	Gilton				
	AC	2002/0106849	08/08/2002	Moore				
	AH	2002/0123169	09/05/2002	Moore et al.				
	ÀΙ	2002/0123170	09/05/2002	Moore et al.				
	AJ	2002/0123248	09/05/2002	Moore et al.				
	AK	2002/0127886	09/12/2002	Moore et al.				
	AL	2002/0132417	09/09/2002	Li				
	AF	2002/0160551	10//31/2002	Harshfield				
	AG	2002/0163828	11/07/2002					
	AM	2002/0168820	11/2002	Kozicki				
	AN	2002/0168852	11/14/2002	Harshfield et al.				
	AO	2002/0190289	12/19/2002	Harshfield et al.				
	AP	2002/0190350	12/19/2002	Kozicki et al.				
	AQ	2003/0001229	01/02/2003	Moore et al.				
	AR	2003/0027416	02/06/2003	Moore				
	AS	2003/0032254	02/13/2003	Gilton	<u> </u>			
	ΑT	2003/0035314	02/20/2003	Kozicki				
	AU	2003/0035315	02/20/2003	Kozicki				
	ΑV	2003/0038301	02/27/2003	Moore				
	AW	2003/0043631	03/06/2003	Gilton et al.				
	AX	2003/0045049	03/06/2003	Campbell et al.				
	AY	2003/0045054	03/06/2003	Campbell et al.				
	AZ	2003/0047765	03/13/2003	Campbell				
	AA1	2003/0047772	03/13/2003	LI	<u> </u>			
	AB1	2003/0047773	03/13/2003	Li				
	AC1	2003/0048519	03/13/2003	Kozicki				
	AD1	2003/0049912	03/13/2003	Campbell et al.				
	AE1	2003/0068861	04/10/2003	Li				
	AF1	2003/0068862	04/10/2003	Li				
	AG1	2003/0095426	05/22/2003	Hush et al.				
	AH1	2003/0096497	05/22/2003	Moore et al.				
	Al1	2003/0107105	06/12/2003	Kozicki				
	AJ1	2003/0117831	06/26/2003	Hush	<u> </u>			
	AK1	2003/0128612	07/10/2003	Moore et al.	<u> </u>			
	AL1	2003/0137869	07/24/2003	Kozicki				
	AM1	2003/0143782	07/31/2003	Gilton et al.	<u></u>			
	AN1	2003/0155589	08/21/2003	Campbell et al.	ļ			
	A01	2003/0155606	08/21/2003	Campbell et al.	↓			
	AP1	2003/0156447	08/21/2003	Kozicki				
	AQ1	2003/0156463	08/21/2003	Casper et al.	 			
	AR1	3,622,319	11/1971	Sharp	ļ			
	AS1	3,743,847	7/1973	Boland	 			
	AT1	4,269,935	5/1981	Masters et al.	1			

PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0551-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE and to a collection of information unless it contains a valid OMB control number. Under the Paperwork Reduction Act of 1995, no persons are required to resp

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Substitute for form 1449A/PTO

2

(use as many sheets as necessary)

of

11

Complete if Known					
Application Number	10/663,741				
Filing Date	September 17, 2003				
First Named Inventor	Terry L. Gilton				
Art Unit	N/A				
Examiner Name	Not Yet Assigned				
Attorney Docket Number	M4065.0656/P656				

L				
	AU1 4	,312,938	1/1982	Drexler, et al.
	AV1 4		1/1982	Masters, et al.
		,320,191	3/1982	Yoshikawa et al.
			9/1983	Balasubramanyam et al.
		,419,421	12/1983 -	Wichelhaus, et al.
			2/1985	Holmberg et al.
, , ,			06/09/1987	Wu et al.
		,795,657	1/1989	Formigoni et al.
			01/24/1989	Lewis
		,847,674	7/1989	Sliwa et al.
	AE2 5	177,567	1/1993	Klersy et al.
	AF2 5		6/1993	Abernathey et al.
			8/1993	Blalock et al.
		,272,359		Nagasubramanian et al.
		,314,772	5/24/1994	Kozicki
				Kishimoto et al.
		,350,484	9/1994	Gardner et al.
		,360,981	11/1994	Owen et al.
	AM2 5	,500,532	3/19/1996	Kozicki et al.
			4/1996	Yoshimura et al.
			4/1996	Wolf et al.
	AP2 5		3/1998	Takaishi
	AQ2 5	,751,012	5/12/1998	Wolstenholme et al.
	AR2 5		6/1998	Kozicki et al.
			8/1998	Zahorik et al.
	AT2 5	,814,527	9/29/1998	Wolstenholme et al
		,818,749	10/06/1998	
		,841,150	11/1998	Gonzalez et al.
		,846,889	12/1998	Harbison et al.
		,851,882		Harshfield
				Harshfield
			4/20/1999	Kozicki et al.
		,914,893	6/22/1999	Kozickl et al.
			7/1999	Reinberg
L		,998,066	12/1999	Block et al.
ļ			2/29/2000	Harshfield
				Jacobson et al.
	AF3 6		6/2000	Harshfield
ļ			7/4/2000	Kozicki et al.
<u> </u>		177,338	1/2001	Liaw et al.
<u></u>		,117,720	9/2000	Harshfield
			11/2000	Chiang et al.
			5/2001	Wolsteinholme et al.
<u></u>		,297,170	10/2001	Gabriel et al.
		,300,684	10/2001	Gonzalez et al.
<u> </u>		,316,784	11/2001	Zahorik et al.
├		,329,606	12/2001	Freyman et al.
			2/19/2002	Moore et al. McDaniel et al.
Ц	INCO 10	,350,679	2/2002	IVICUATIIGI EL AI.

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Substitute for form 1449A/PTO

(use as many sheets as necessary)

of

Complete If Known					
Application Number	10/663,741				
Filing Date	September 17, 2003				
First Named Inventor	Terry L. Gilton				
Art Unit	N/A				
Examiner Name	Not Yet Assigned				
Attorney Docket Number	M4065.0656/P656				

		4/2002	Gonzalez et al.
		5/14/2002	Kozicki et al.
AT3	6,391,688	5/2002	Gonzalez et al.
AU3	6,414,376	7/2002	Thakur et al.
		7/9/2002	Kozicki et al.
AW3	6,420,725	7/16/2002	Harshfield
AX3	6,423,628	7/2002	Li et al.
		8/27/2002	Harshfield
AZ3	6,469,364	10/2002	Kozicki
AA4	6,473,332	10/2002	Ignatiev et al.
		11/26/2002	Kozicki
AC4	2003/0209728	11/13/2003	Kozicki et al
AD4	2003/0209971	11/13/2003	Kozicki et al
AE4	2003/0210564	11/13/2003	Kozicki et al
		08/01/2002	Mihnea et al.
AG4	6,426,898		Mihnea et al.
AH4	2002/0130351	09/19/2002	Ghodsi
414	2002/0159292	10/31/2002	Forbes
4J4	5,534,712		Ovshinsky et al.
4K4	2002/0163030		Mandell et al.
<u> ۱</u>	2002/0094640		Forbes
λM4	2002/0126533	09/12/2002	Kao
	AS3 AT3 AU3 AV3 AV3 AX3 AX3 AX3 AX4 AAA4 AC4 AC4 AC4 AC4 AC4 AC4 AC4 AC4 A	AH4 2002/0130351 Al4 2002/0159292 AJ4 5,534,712 AK4 2002/0163030 AL4 2002/0094640	AS3 6,388,324 5/14/2002 AT3 6,391,688 5/2002 AU3 6,414,376 7/2002 AV3 6,418,049 7/9/2002 AW3 6,420,725 7/16/2002 AX3 6,423,628 7/2002 AX3 6,469,364 10/2002 AX4 6,473,332 10/2002 AX4 6,473,332 10/2002 AX4 6,487,106 11/26/2002 AX4 6,487,106 11/26/2002 AX4 2003/0209728 11/13/2003 AX4 2003/020975 11/13/2003 AX4 2003/0210564 11/13/2003 AX4 2002/010564 11/13/2003 AX4 2002/010500 08/01/2002 AX4 2002/010500 10/19/2002 AX4 2002/0159292 10/31/2002 AX4 2002/0163030 11/07/2002 AX4 2002/0163030 11/07/2002 AX4 2002/0094640 07/18/2002

		FOREI	GN PATENT	DOCUMENTS		_
Examiner	Cite	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines,	Ĩ
Initiats*	No.1	Country Code ³ -Number ⁴ -Kind Code ⁵ (If known)		Applicant of Cited Document	Where Relevant Passages or Relevant Figures Appear	To.
	BA ,	56126916	10/19981	Akira et al.		+
	BB •	WO 97/48032		Kozicki et al.		\vdash
	BC N	WO 99/28914		Kozicki et al.		╁
	BD 🔪	WO 00/48196		Kozicki et al.		-
	BE N	WO 02/21542		Kozicki et al.	+ -	-

Examiner	Date	
Signature		
[-9.15.15]	Considered	_

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

¹ Applicant's unique citation designation number (optional). ² See attached Kinds Codes of USPTO Patent Documents at www.uspio.gog or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. ⁴ Kind of document by the appropriate symbols as Indicated on the document under WIPO Standard ST. 16 if possible. ⁹ Applicant is to place a check mark here if English language Translation is attached.

Subst	itute for form 1449B/PTC	,		Complete if Known			
\	10.0 10.101111 1440011 10			Application Number	10/663,741		
≱ INI	FORMATION	1 DI	SCLOSURE	Filing Date	September 17, 2003		
ST	ATEMENT	3Y /	APPLICANT	First Named Inventor	Terry L. Gilton		
, •.				Group Art Unit	N/A		
	(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned		
heet	4	of	11	Attorney Docket Number	M4065.0656/P656		

			OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1		Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
	CA		Abdel-All, A.; Elshafie,A.; Elhawary, M.M., DC electric-field effect in bulk and thin-film Ge5As38Te57 chalcogenide glass, Vacuum 59 (2000) 845-853.	
	СВ	4	Adler, D.; Moss, S.C., Amorphous memories and bistable switches, J. Vac. Sci. Technol. 9 (1972) 1182-1189.	
	СС		Adler, D.; Henisch, H.K.; Mott, S.N., The mechanism of threshold switching in amorphous alloys, Rev. Mod. Phys. 50 (1978) 209-220.	
	CD	4	Afifi, M.A.; Labib, H.H.; El-Fazary, M.H.; Fadel, M., Electrical and thermal properties of chalcogenide glass system Se75Ge25-xSbx, Appl. Phys. A 55 (1992) 167-169.	
	CE	4	Afifi,M.A.; Labib, H.H.; Fouad, S.S.; El-Shazly, A.A., Electrical & thermal conductivity of the amorphous semiconductor GexSe1-x, Egypt, J. Phys. 17 (1986) 335-342.	
	CF	l	Alekperova, Sh.M.; Gadzhieva, G.S., Current-Voltage characteristics of Ag2Se single crystal near the phase transition, Inorganic Materials 23 (1987) 137-139.	Ī
	CG	ť	Alekslejunas, A.; Cesnys, A., Switching phenomenon and memory effect in thin-film heterojunction of polycrystalline selenium-silver selenide, Phys. Stat. Sol. (a) 19 (1973) K169-K171.	
	СН		Angell, C.A., Mobile ions in amorphous solids, Annu. Rev. Phys. Chem. 43 (1992) 693-717.	L
•	CI		Aniya, M., Average electronegativity, medium-range-order, and ionic conductivity in superionic plasses. Solid state lonics 136-137 (2000) 1085-1089.	
	CJ		Asahara, Y.; Izumitani, T., Voltage controlled switching in Cu-As-Se compositions, J. Non-Cryst. Solids 11 (1972) 97-104.	
	СК		Asokan, S.; Prasad, M.V.N.; Parthasarathy, G.; Gopal, E.S.R., Mechanical and chemical thresholds in IV-VI chalcogenide glasses, Phys. Rev. Lett. 62 (1989) 808-810	
	CL		Axon Technologies Corporation, TECHNOLOGY DESCRIPTION: Programmable Metalization Cell(PMC), pp. 1-6 (Pre-May 2000).	$oxed{\Box}$
	СМ		Baranovskii, S.D.; Cordes, H., On the conduction mechanism in ionic glasses, J. Chem. Phys. 111 (1999) 7546-7557.	
	CN		Belin, R.; Taillades, G.; Pradel, A.; Ribes, M., Ion dynamics in superionic chalcogenide glasses: complete conductivity spectra, Solid state Ionics 136-137 (2000) 1025-1029.	
-	СО		Belin, R.; Zerouale, A.; Pradel, A.; Ribes, M., Ion dynamics in the argyrodite compound Ag7GeSe5I: non-Arrhenius behavior and complete conductivity spectra, Solid State Ionics 143 (2001) 445-455.	
	СР		Benmore, C.J.; Salmon, P.S., Structure of fast lon conducting and semiconducting glassy chalcogenide alloys, Phys. Rev. Lett. 73 (1994) 264-267.	T
	CQ		Bernede, J.C., Influence du metal des electrodes sur les caracteristiques courant-tension des structures M-Ag2Se-M, Thin solid films 70 (1980) L1-L4.	
	CR		Bernede, J.C., Polarized memory switching in MIS thin films, Thin Solid Films 81 (1981) 155-160.	
	cs		Bernede, J.C., Switching and silver movements in Ag2Se thin films, Phys. Stat. Sol. (a) 57 (1980) K101-K104.	
	СТ		Bernede, J.C.; Abachi, T., Differential negative resistance in metal/insulator/metal structures with an upper bilayer electrode, Thin solid films 131 (1985) L61-L64.	
	CU		Bernede, J.C.; Conan, A.; Fousenan't, E.; El Bouchairi, B.; Goureaux, G., Polarized memory switching effects in Ag2Se/Se/M thin film sandwiches, Thin solid films 97 (1982) 165-171.	
-	CV		Bernede, J.C.; Khelil, A.; Kettaf, M.; Conan, A., Transition from S- to N-type differential negative resistance in Al-Al2O3-Ag2-xSe1+x thin film structures, Phys. Stat. Sol. (a) 74 (1982)	Ī

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

of

11

T	Complete if Known
Application Number	10/663,741
Filing Date	September 17, 2003
First Named Inventor	Terry L. Gilton
Group Art Unit	N/A
Examiner Name	Not Yet Assigned
Attorney Docket Number	M4065.0656/P656

	217-224.	Ξ
		⊦
C	lonics 70/71 (1994) 72-76.	L
C	Boolchand, P., The maximum in glass transition temperature (Tg) near x=1/3 in GexSe1-x Glasses, Asian Journal of Physics (2000) 9, 709-72.	
C,		
C	Boolchand, P.; Georgiev, D.G.; Goodman, B., Discovery of the Intermediate Phase in	r
C	Chalcogenide Glasses, J. Optoelectronics and Advanced Materials, 3 (2001), 703 Boolchand, P.; Selvanathan, D.; Wang, Y.; Georgiev, D.G.; Bresser, W.J., Onset of rigidity in	⊦
	steps in chalcogenide glasses, Properties and Applications of Amorphous Materials, M.F. Thorpe and Tichy, L. (eds.) Kluwer Academic Publishers, the Netherlands, 2001, pp. 97-132.	
CI		H
	chalcogenide alloy films: role of thermal annealing, Diffusion and Defect Data Vol. 53-54 (1987) 415-420.	!
C	Boolchand, P.; Grothaus, J.; Bresser, W.J.; Suranyi, P., Structural origin of broken chemical order in a GeSe2 glass, Phys. Rev. B 25 (1982) 2975-2978.	
CI		
CI		Γ
	network connectivity and nanoscale chemical phase separation in chalcogenides, Dept. of ECECS, Univ. Cincinnati (October 28, 1999) 45221-0030.	
CI	Boolchand, P.; Grothaus, J, Molecular Structure of Melt-Quenched GeSe2 and GeS2 glasses compared, Proc. Int. Conf. Phys. Semicond. (Eds. Chadi and Harrison) 17 th (1985) 833-36.	ſ
C	Bresser, W.; Boolchand, P.; Suranyi, P., Rigidity percolation and molecular clustering in network glasses, Phys. Rev. Lett. 56 (1986) 2493-2496.	Γ
CI		r
	chemical order in stoichiometric glasses, Journal de Physique 42 (1981) C4-193-C4-196.	L
CI	Bresser, W.J.; Boolchand, P.; Suranyi, P.; Hernandez, J.G., Molecular phase separation and cluster size in GeSe2 glass, Hyperfine Interactions 27 (1986) 389-392.	
C.		
CI	Chatterjee, R.; Asokan, S.; Titus, S.S.K., Current-controlled negative-resistance behavior and memory switching in bulk As-Te-Se glasses, J. Phys. D: Appl. Phys. 27 (1994) 2624-2627.	Γ
CI		Γ
Ci	11 Chen, G.; Cheng, J., Role of nitrogen in the crystallization of silicon nitride-doped chalcogenide glasses, J. Am. Ceram. Soc. 82 (1999) 2934-2936.	Γ
CI		Ī
C	Cohen, M.H.; Neale, R.G.; Paskin, A., A model for an amorphous semiconductor memory device, J. Non-Cryst. Solids 8-10 (1972) 885-891.	r
CI		r
C	Dalven, R.; Gill, R., Electrical properties of beta-Ag2Te and beta-Ag2Se from 4.2 to 300K, J.	F
CI	Appl. Phys. 38 (1967) 753-756. Classification Phys. 38 (1967) 753-756.	\vdash
C		r
	Dejus, R.J.; Susman, S.; Volin, K.J.; Montague, D.G.; Price, D.L., Structure of Vitreous Ag-Ge-	H

Substitu	ute for form 1449B/PT			_	C mplete if Known			
3	3				Application Number	10/663,741		
) 넓NF	ORMATIO	N DI	SCLC	SURE	Filing Date	September 17, 2003		
<u> </u>	ATEMENT				First Named Inventor	Terry L. Gilton		
NGT .					Group Art Unit	N/A		
	(use as many st	eets a	s necessar	y)	Examiner Name	Not Yet Assigned		
Chart	c	-6	T:	44	Attacas Docket Number	MADE DESCIDES		

Sheet		6	of	11	Attorney Docket Number	M4065.0656/P656							
	1	Se J Non	-Cryst	. Solids 143 (1992) 162	-180.		Т						
	CU1	den Boer,	W., Th			us silicon, Appl. Phys. Lett. 40							
	CV1	silicon/nan Cryst, Solid	Drusedau, T.P.; Panckow, A.N.; Klabunde, F., The hydrogenated amorphous silicon/nanodisperse metal (SIMAL) system-Films of unique electronic properties, J. Non-Cryst. Solids 198-200 (1996) 829-832.										
	CW1	Films 110	El Bouchairi, B.; Bernede, J.C.; Burgaud, P., Properties of Ag2-xSe1+x/n-Si diodes, Thin Solid Films 110 (1983) 107-113.										
	CX1	x photocor	El Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous GexSe1-x photoconductivity, J. Non-Cryst. Solids 155 (1993) 171-179.										
	CY1	chalcogeni	El Ghrandi, R.; Calas, J.; Galibert, G.; Averous, M., Silver photodissolution in amorphous chalcogenide thin films, Thin Solid Films 218 (1992)259-273.										
	CZ1	from "in-sit	u" res	istance measurements	vs time, Phys. Stat. S	in amorphous GeSe5.5 thin films tol. (a) 123 (1991) 451-460.							
	CA2	Phys. 70A	(1996) 507-516.		s Ge21Se17Te62, Indian J.							
	CB2	materials.	J. Non	-Cryst. Solids 130 (199	1) 85-97.	n amorphous chalcogenide							
	CC2	Non-Cryst.	Solid	s 137-138 (1991) 1031-	1034	es: A unified mechanism, J.							
	CD2	state of thi	n films	containing Te As Ge S	i, Vacuum 46 (1995)	chanism in the pre-switching 701-707.	<u> </u>						
	CE2												
	CF2	chalcogeni	ide gla	ning phenomenon in eva iss, Vacuum 44 (1993)	851-855.	·							
	CG2	Fadel, M.; 43 (1992)	El-Sha 253-25	air, H.T., Electrical, then 57.	mal and optical prope	rties of Se75Ge7Sb18, Vacuum							
	CH2	glasses, P	hys. R	ev. Lett. 78 (1997) 442:	2-4425.	iffness threshold in Chalcogenide							
	CI2		stic, pla			, P., Role of network connectivity es, J. Non-Cryst. Solids 222							
	CJ2	photodiffus	sed an	norphous Ag-GeSe2 thi	n films, Phys. Rev. B	A., Structure and bonding in 38 (1988) 12388-12403:							
	CK2	selenium,	Phys.	Stat. Sol. (a) 64 (1981)	311-316.	d crystallization of amorphous							
	CL2	Solids 6 (1	971) 4	9-71		s semiconductors, J. Non-Cryst.							
	CM2	Materials S	Scienc	e 2 (1972) 697-744.		uctors, Annual Review of							
	CN2	synthesize currently A	d by to	emplating against nanov	wires of trigonal Se, J.	nanowires of Ag2Se can be . Am. Chem. Soc. (2001)							
	CO2	on reversit 1013-1018	ole pha	ase transition phenome	na in telluride glasses	S., Nonvolatile memory based , Jap. J. Appl. Phys. 28 (1989)							
	CP2	of Ge-Se of Cryst. Soli	halcog ds 298	genide glasses below T 3 (2002) 260-269.	g: elastic recovery an	, I.; Lucas, J., Indentation creep nd non-Newtonian flow, J. Non-							
	CQ2	Guin, JP.	; Roux	el, T.; Sangleboeuf, J	C; Melscoet, I.; Lucas	s, J., Hardness, toughness, and							

O PE JOIL	Su	b
DE 1 8 2000	TOTAL S	\ 3
STATE TRADEMA	Ch a - 4	Т
	Sheet	ı

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

Complete if Known Application Number 10/663,741 September 17, 2003 Filing Date First Named Inventor Terry L. Gilton N/A Group Art Unit Examiner Name Not Yet Assigned Attorney Docket Number M4065.0656/P656

(use as many sheets as necessary)

Substitute for form 1449B/PTO

Sheet	7		of	11	Attorney Docket Number	M4065.0656/P656			
	scratchabil		ity of	germanium-selenium ch	alcogenide glasses, .	J. Am. Ceram. Soc. 85 (2002)			
	1545-52.								
	CR2	Gupta, Y.P., On electrical switching and memory effects in amorphous chalcogenides, J. Non-Cryst. Sol. 3 (1970) 148-154.							
	CS2	Haberland,	D.R.			-controlled switching effect in 408-414.			
	CT2	Haifz, M.M	; Ibra		Hammad, F.H., Effect	of composition on the structure			
	CU2	Hajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913.							
	CV2	Hajto, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., DC and AC measurements on metal/a-Si:H/metal room temperature quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061.							
	CW2	Hajto, J.; M resistance (1996) 825	lcAule effect -828.	ey, B.; Snell, A.J.; Owen s in metal-a-Si:H-metal	thin film structures, J.	n temperature quantized Non-Cryst. Solids 198-200			
	CX2	ballistic ele 369.	ctron	effects in metal-amorph	ous silicon structures	J., Analogue memory and , Phil. Mag. B 63 (1991) 349-			
	CY2	Japan, J. A	shi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, n. J. Appl. Phys. 13 (1974) 1163-1164.						
	CZ2	Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462.							
	CA3	Helbert et a	al., <i>Int</i>	ralevel hybrid resist pro GRAPHY, pp. 24-29 (198	cess with submicron o	capability, SPIE Vol. 333			
	CB3	Hilt, Disser Metalizatio	RTATIO n	N: Materials characteriz	ation of Silver Chalco				
	ССЗ	Hirose et a	I., Hig	h Speed Memory Beha Sol. (a) 61, pp. 87-90 (vior and Reliability of (an Amorphous As₂S₃ Film Doped			
	CD3	Hirose, Y.;	Hiros	e, H., Polarity-depender amorphous As2S3 films	nt memory switching a	and behavior of Ag dendrite in 976) 2767-2772.			
	CE3	Holmquist et CERAM. SOC	al., <i>R</i> ., No.	eaction and Diffusion in Si 3-4, pp. 183-188 (March-A	lver-Arsenic Chalcogenio pril 1979).	de Glass Systems, 62 J. AMER.			
	CF3	J. Non-Cry	st. So	<u>lids 116 (1990) 191-200</u>).	phous semiconductor systems,			
	CG3	threshold o	ompo	sition, J. Optoelectronic	s and Advanced Mate	Se1-x around the stiffness erials 3 (2001) 199-214.			
	CH3 Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst, Solids 227-230 (1998) 1187-1191.								
	CI3								
	C13	Hu, J.; Sne	.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-induced instability in Cr-p+a-Si:H-V thin film es, Phil. Mag. B 80 (2000) 29-43.						
	СКЗ	Huggett et	al., D		•	elenide photoresist by reactive 4 (April 1983).			
	CL3	lizima, S.;	Sugi,	M.; Kikuchi, M.; Tanaka glasses As-Te-Ge, Soli	, K., Electrical and the	ermal properties of			
	СМЗ	Ishikawa, F	₹.; Kik		tudy on the photo-enh	nanced diffusion of Ag in			

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Complete if Known Substitute for form 1449B/PTO 10/663,741 Application Number INFORMATION DISCLOSURE Filing Date September 17, 2003 STATEMENT BY APPLICANT First Named Inventor Terry L. Gilton N/A Group Art Unit (use as many sheets as necessary) Examiner Name Not Yet Assigned

Sheet		8	of	11		Attorney Docket Num	ber	M4065.0656/P656	
	CN3	clustering	of Ag at	oms, J. Non-Crys	st. Sol	ids 262 (2000) 13	35-14	ion in Ag/Ge/Se glasses: 42.	
	CO3	Solid Film	s 40 (19	77) L15-L18.				films under pulsed bias, Thin	
	CP3	switching.	Phys. S	tat. Sol. (a) 13 (1	972)	K105-K109.		amorphous As2Se7 before	
	CQ3	Joullie, A. Bull, 8 (19	M.; Mar (73) 433	acchi, J., Electrica	al pro	perties of the amo		ous alloy As2Se5, Mat. Res.	
	CR3	Kaplan, T Solids 8-1	.; Adler, 0 (1972	D., Electrotherma 538-543.				semiconductors, J. Non-Cryst.	
	CS3	Kawaguci 1231-123	ni et al.,	Mechanism of ph	otosu	face deposition,	164	-166 J. Non-CRYST. SOLIDS, pp.	
	СТЗ	Kawaguci amorphou	ni, T.; Ma us Ag-Ge	aruno, S.; Elliott, a-S and Ag-Ge-S	e films	Optical, electrical s and comparison Appl. Phys. 79 (1	ofp	d structural properties of photoinduced and thermally) 9096-9104.].
	CU3	Kawaguci	ni, T.; Ma ing in ch	asui, K., Analysis alcogenide film,	of chi Japn.	ange in optical tra J. Appl. Phys. 26	nsm (198	nission spectra resulting from Ag 37) 15-21.	
	CV3	(0<=x<=0	.571) gla	sses, Solid state	lonic	s 123 (1999) 259	-269	conductivity of Agx(GeSe3)1-x	
	CW3	GexSe10	0-x. J. N	on-Cryst, Solids	124 (1	990) 186-193.		odiffusion in amorphous	
	СХЗ	Solids 198	8-200 (1	996) 728-731.				us chalcogenides, J. Non-Cryst.	
	CY3	137-138 (1991) 10	27-1030.				de films, J. Non-Cryst. Solids	
	CZ3	1991, Vol	. 40, No.	5, pgs. 625-684			-	netals, Advances in Physics,	
	CA4	Non-Crys	t. Solids	194 (1996) 256-2	259.			ation and the type of contacts, J	
	CB4	Kotkata, Mamorphou	И.F.; Afil us GeSe	, M.A.; Labib, H.I TI chalcogenide :	H.; He semic	gab, N.A.; Abdel- onductor films, Th	-Aziz nin S	r, M.M., Memory switching in solid Films 240 (1994) 143-146.	
	CC4	Kozicki et	al., Silv	er incorporation i	n thin	films of selenium Abstracts, July 2	rich	Ge-Se glasses, International	
	CD4							ology Description, February 18,	
	CE4=			i, Axon Technolo y, Inc., April 6, 20		Corp. and Arizona	Sta	te University, Presentation to	
	CF4	Kozicki et	al., App	lications of Progr	amma			iges In Metal-Doped 99-13, 1999, pgs. 298-309.	
	CG4	Kozicki et	al., Nan	oscale effects in	devic		coge	enide solid solutions,	
	CH4	Kozicki et 63 (2002)	al., Nan	oscale phase se	parati	on in Ag-Ge-Se g	lass	es, Microelectronic Engineering	
	CI4	Lakshmin devices: 16-19.	arayan, memory	K.N.; Srivastava, and switching m	echar	ism, J. Instn Elec	tron	r, A., Amorphous semiconductor ics & Telecom. Engrs 27 (1981)	
	CJ4					ach to study the r pure & appl. phys		ory and threshold switching (1991) 303-304.	
	CK4	Leimer, F	.; Stotze	I, H.; Kottwitz, A. ontacts influence	, isoth	ermal electrical p	olari	isation of amorphous GeSe films tion, Phys. Stat. Sol. (a) 29	i

Substi	tute for form 1449B/	PTO		Complete if Known			
30030	10.6 10. 10 14430			Application Number	10/663,741		
INF	ORMATIC	ON DIS	CLOSURE	Filing Date	September 17, 2003		
ST	ATEMENT	r BY A	PPLICANT	First Named Inventor	Terry L. Gilton		
			-	Group Art Unit	N/A		
	(use as many	sheels as n	ecessary)	Examiner Name	Not Yet Assigned		
eet	9	of	11	Attorney Docket Number	M4065.0656/P656		

Silect		3 17 17 1							
	CL4	Leung, W.; Cheung, N.; Neureuther, A.R., Photoinduced diffusion of Ag in GexSe1-x glass, Appl. Phys. Lett. 46 (1985) 543-545.							
	CM4	Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on Se-SnO2 system, Jap. J. Appl. Phys. 11 (1972) 1657-1662.							
	CN4	Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on amorphous selenium thin films, Jpn. J. Appl. Phys. 11 (1972) 606.							
	CO4	Mazurier, F.; Levy, M.; Souquet, J.L, Reversible and irreversible electrical switching in TeO2- V2O5 based glasses, Journal de Physique IV 2 (1992) C2-185 - C2-188.							
	CP4	McHardy et al., The dissolution of metals in amorphous chalcogenides and the effects o electron and ultraviolet radiation, 20 J. Phys. C.: Solid State Phys., pp. 4055-4075 (1987)f							
	CQ4	Messoussi, R.; Bernede, J.C.; Benhida, S.; Abachi, T.; Latef, A., Electrical characterization of M/Se structures (M=Ni,Bi), Mat. Chem. And Phys. 28 (1991) 253-258.							
	CR4	Mitkova, M.; Boolchand, P., Microscopic origin of the glass forming tendency in chalcogenides and constraint theory, J. Non-Cryst. Solids 240 (1998) 1-21.							
	CS4	Mitkova, M.; Kozicki, M.N., Silver incorporation in Ge-Se glasses used in programmable metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027.							
	CT4	Mitkova, M.; Wang, Y.; Boolchand, P., Dual chemical role of Ag as an additive in chalcogenide glasses, Phys. Rev. Lett. 83 (1999) 3848-3851.							
	CU4	Miyatani, Sy., Electronic and ionic conduction in (AgxCu1-x)2Se, J. Phys. Soc. Japan 34 (1973) 423-432.							
	CV4	Miyatani, Sy., Electrical properties of Ag2Se, J. Phys. Soc. Japan 13 (1958) 317.							
	CW4	Miyatani, Sy., Ionic conduction in beta-Ag2Te and beta-Ag2Se, Journal Phys. Soc. Japan 14 (1959) 996-1002.							
	CX4	Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17.							
	CY4	Nakayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.							
	CZ4	Nakayama, K.; Kojima, K.; Hayakawa, F.; Imai, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.							
	CA5	Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.							
	CB5	Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.							
	CC5	Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209.							
	CD5	Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.							
	CE5	Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.							
	CF5	Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54							
	CG5	Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.							
	CH5	Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.							
	CI5	Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub- Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).							
	CJ5	Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.							
	CK5	Pinto, R.; Ramanathan, K.V., Electric field induced memory switching in thin films of the							

Substit	ute for form 1449B/PT	10		Complete if Kn wn			
3603411	ne lor lorin 1440Em 1			Application Number	10/663,741		
INF	ORMATIO	N DIS	CLOSURE	Filing Date	September 17, 2003		
			PPLICANT	First Named Inventor	Terry L. Gilton		
				Group Art Unit	N/A		
<i>:</i>]	(use as many s	sheets as ne	ecessary)	Examiner Name	Not Yet Assigned		
heet	10	of	11	Attorney Docket Number	M4065.0656/P656		

	chalcogenide system Ge-As-Se, Appl. Phys. Lett. 19 (1971) 221-223.
CL5	Popescu, C., The effect of local non-uniformities on thermal switching and high field behavior of structures with chalcogenide glasses, Solid-state electronics 18 (1975) 671-681.
СМ5	Popescu, C.; Croitoru, N., The contribution of the lateral thermal instability to the switching phenomenon, J. Non-Cryst. Solids 8-10 (1972) 531-537.
CN5	Popov, A.I.; Geller, I.KH.; Shemetova, V.K., Memory and threshold switching effects in
CO5	amorphous selenium, Phys. Stat. Sol. (a) 44 (1977) K71-K73. Prakash, S.; Asokan, S.; Ghare, D.B., Easily reversible memory switching in Ge-As-Te
 CP5	glasses, J. Phys. D: Appl. Phys. 29 (1996) 2004-2008. Rahman, S.; Sivarama Sastry, G., Electronic switching in Ge-Bi-Se-Te glasses, Mat. Sci. and
CQ5	Ramesh, K.; Asokan, S.; Sangunni, K.S.; Gopal, E.S.R., Electrical Switching in germanium
CR5	telluride glasses doped with Cu and Ag, Appl. Phys. A 69 (1999) 421-425. Rose,M.J.;Hajto,J.;Lecomber,P.G.;Gage,S.M.;Choi,W.K.;Snell,A.J.;Owen,A.E., Amorphous
 CS5	silicon analogue memory devices, J. Non-Cryst. Solids 115 (1989) 168-170. Rose,M.J.;Snell,A.J.;Lecomber,P.G.;Hajto,J.;Fitzgerald,A.G.;Owen,A.E., Aspects of non-
CT5	volatility in a -Si:H memory devices, Mat. Res. Soc. Symp. Proc. V 258, 1992, 1075-1080. Schuocker, D.; Rieder, G., On the reliability of amorphous chalcogenide switching devices, J.
	Non-Cryst. Solids 29 (1978) 397-407.
CU5	Sharma, A.K.; Singh, B., Electrical conductivity measurements of evaporated selenium films in vacuum, Proc. Indian Natn. Sci. Acad. 46, A, (1980) 362-368.
CV5	Sharma, P., Structural, electrical and optical properties of silver selenide films, Ind. J. Of pure and applied phys. 35 (1997) 424-427.
CW5	Shimizu et al., The Photo-Erasable Memory Switching Effect of Ag Photo-Doped Chalcogenide Glasses, 46 B. CHEM SOC. JAPAN, No. 12, pp. 3662-3365 (1973).
CX5	Snell, A.J.; Lecomber, P.G.; Hajto, J.; Rose, M.J.; Owen, A.E.; Osborne, I.L., Analogue memory effects in metal/a-Si:H/metal memory devices, J. Non-Cryst. Solids 137-138 (1991) 1257-1262.
CY5	Snell, A.J.; Hajto, J.;Rose, M.J.; Osborne, L.S.; Holmes, A.; Owen, A.E.; Gibson, R.A.G., Analogue memory effects in metal/a-Si:H/metal thin film structures, Mat. Res. Soc. Symp. Proc. V 297, 1993, 1017-1021.
CZ5	Steventon, A.G., Microfilaments in amorphous chalcogenide memory devices, J. Phys. D: Appl. Phys. 8 (1975) L120-L122.
CA6	Steventon, A.G., The switching mechanisms in amorphous chalcogenide memory devices, J. Non-Cryst. Solids 21 (1976) 319-329.
СВ6	Stocker, H.J., Bulk and thin film switching and memory effects in semiconducting chalcogenide glasses, App. Phys. Lett. 15 (1969) 55-57.
 CC6	Tanaka, K., Ionic and mixed conductions in Ag photodoping process, Mod. Phys. Lett B 4 (1990) 1373-1377.
CD6	Tanaka, K.; lizima, S.; Sugi, M.; Okada, Y.; Kikuchi, M., Thermal effects on switching phenomenon in chalcogenide amorphous semiconductors, Solid State Comm. 8 (1970) 387-389.
CE6	Thornburg, D.D., Memory switching in a Type I amorphous chalcogenide, J. Elect. Mat. 2 (1973) 3-15.
 CF6	Thornburg, D.D., Memory switching in amorphous arsenic triselenide, J. Non-Cryst. Solids 11 (1972) 113-120.
 CG6	Thomburg, D.D.; White, R.M., Electric field enhanced phase separation and memory switching in amorphous arsenic triselenide, Journal(??) (1972) 4609-4612.
 СН6	Tichy, L.; Ticha, H., Remark on the glass-forming ability in GexSe1-x and AsxSe1-x systems, J. Non-Cryst. Solids 261 (2000) 277-281.
 CI6	Titus, S.S.K.; Chatterjee, R.; Asokan, S., Electrical switching and short-range order in As-Te

	Sub	stitute for form 1449B/PT	0		Complete if Known			
	000.	,			Application Number	10/663,741		
	IN	FORMATIO	N DI	SCLOSURE	Filing Date	September 17, 2003		
	S	TATEMENT	BY A	APPLICANT	First Named Inventor	Terry L. Gilton		
7					Group Art Unit	N/A		
	(use as many sheets as necessary)				Examiner Name	Not Yet Assigned		
3	et	11	of	11	Attorney Docket Number	M4065.0656/P656		
-	_							

Styleet		11	of	11	Attorney Docket Number	M4065.0656/P656			
7		glasses, Pi	nys. Ro	ev. B 48 (1993) 14650-	14652.				
,	CJ6	Tranchant, glasses Ag relations in symposium	Tranchant,S.;Peytavin,S.;Ribes,M.;Flank,A.M.;Dexpert,H.;Lagarde,J.P., Silver chalcogenide glasses Ag-Ge-Se: lonic conduction and exafs structural investigation, Transport-structure relations in fast ion and mixed conductors Proceedings of the 6th Riso International symposium. 9-13 September 1985.						
	CK5	Tregouet, \ effects, Thi	Tregouet, Y.; Bernede, J.C., Silver movements in Ag2Te thin films: switching and memory effects. Thin Solid Films 57 (1979) 49-54.						
	CL5	Ge0.4Se0.6, J. Non-Cryst. Solids 117-118 (1990) 219-221.							
	CM6 Uttecht, R.; Stevenson, H.; Sie, C.H.; Griener, J.D.; Raghavan, K.S., Electric field induced filament formation in As-Te-Ge glass, J. Non-Cryst. Solids 2 (1970) 358-370.								
	CIN Viger, C.; Lefrancols, G.; Fleury, G., Anomalous behaviour of amorphous selenium films, J. Non-Cryst. Solids 33 (1976) 267-272.								
	 CO6 Vodenicharov, C.; Parvanov,S.; Petkov,P., Electrode-limited currents in the thin-film M-GeSe-M system, Mat. Chem. And Phys. 21 (1989) 447-454. CP6 Wang, SJ.; Misium, G.R.; Camp, J.C.; Chen, KL.; Tigelaar, H.L., High-performance Metal/silicide antifuse, IEEE electron dev. Lett. 13 (1992)471-472. 						,		
	CQ6	Weirauch,	D.F., T			amorphous semiconductors,			
	CR6	West, W.C.	.; Siera S0.36A	adzki, K.; Kardynal, B.; Ag0.40 Ag System prep	Kozicki, M.N., Equival pared by photodissolut	lent circuit modeling of the tion of Ag, J. Electrochem. Soc.			
	CS6 West, W.C., Electrically erasable non-volatile memory via electrochemical deposition of multifractal aggregates, Ph.D. Dissertation, ASU 1998								
	CS7 Zhang, M.; Mancini, S.; Bresser, W.; Boolchand, P., Variation of glass transition temperature, Tg, with average coordination number, <m>, in network glasses: evidence of a threshold behavior in the slope dTg/d<m> at the rigidity percolation threshold (<m>=2.4), J. Non-Cryst. Solids 151 (1992) 149-154.</m></m></m>								

Examiner	Date
	l = l
Signature	I Considered I
Cignature	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.